

BRED TO BE BOLD
Introducing the all-new ISUZU mu-X, our boldest SUV yet.





### **ISUZU mu-X SPECIFICATIONS**

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
ENGINE				
Displacement (cc)	2 999	2 999	2 999	2 999
No. of Cylinders	4	4	4	4
Compression Ratio	16.3:1	16.3:1	16.3:1	16.3:1
Bore X Stroke (mm)	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16	16
Power (kW) @ r/min	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600
Torque (Nm) @ r/min	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 – 2 600
Turbocharger	Standard	Standard	Standard	Standard
Water Depth Protection (mm)	800	800	800	800
Pre-Air Cleaner	Standard	Standard	Standard	Standard
ACG (120 A) with Intelligent Battery System (IBS)	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard

FUEL CONSUMPTION <sup>1</sup>				
Combined Cycle (Litres/100 km)	7.6	7.6	7.6	7.6
Combined CO <sub>2</sub> Emissions (g/km)	199	200	199	200
Fuel Type	Diesel	Diesel	Diesel	Diesel

TRANSMISSION					
Transmission Type	6-Speed A/T	6-Speed A/T	6-Speed A/T	6-Speed A/T	
Gear Ratio: 1st	3.600	3.600	3.600	3.600	
Gear Ratio: 2nd	2.090	2.090	2.090	2.090	
Gear Ratio: 3rd	1.488	1.488	1.488	1.488	
Gear Ratio: 4th	1.000	1.000	1.000	1.000	
Gear Ratio: 5th	0.687	0.687	0.687	0.687	
Gear Ratio: 6th	0.580	0.580	0.580	0.580	
Gear Ratio: Reverse	3.732	3.732	3.732	3.732	
4WD Selector	Standard	Standard	Standard	Standard	
Low Range Ratio	-	_	-	_	

FRONT DIFFERENTIAL			
Differential Lock –	-	-	-
Axle Ratio: Final Drive –	3.727	-	3.727

REAR DIFFERENTIAL				
Differential Lock	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	3.727	3.727	3.727	3.727

Front Wheel Suspension	Independent High-Ride Coil	Independent High-Ride Coil	Independent High-Ride Coil	Independent High-Ride Coil
Rear Wheel Suspension	Multi-Link Coil	Multi-Link Coil	Multi-Link Coil	Multi-Link Coil
Shock Absorbers	Gas	Gas	Gas	Gas
High-Ride Suspension	Standard	Standard	Standard	Standard
Skid Plate Guard	Standard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	Standard	-	Standard
Oil Pan Guard	Standard	Standard	Standard	Standard

WHEELS & TYRES				
Tyre Size	255 / 65 R 17	255 / 65 R 17	265 / 60 R 18	265 / 50 R 20
Wheels Size / Type	17" X 7.0J-33 Alloy	17" X 7.0J-33 Alloy	18" X 7.5J-33 Alloy	20" X 7.5J-33 Alloy
Spare Wheel Size / Type	17" X 7.0J-33 Steel	17" X 7.0J-33 Steel	18" X 7.5J-33 Steel	20" X 7.5J-33 Alloy
Turning Circle (m)	11.4	11.4	11.4	11.4
Tyre-Pressure Monitoring Sensor	-	_	Standard	Standard

<sup>&</sup>lt;sup>1</sup> Fuel Economy & CO<sub>2</sub> data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions & the vehicle's equipment, condition and use.

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
DIMENSIONS				
Length (mm)	4 850	4 850	4 850	4 850
Width (mm)	1 870	1 870	1 870	1 870
Height (mm)	1 820	1 820	1 825	1 825
Wheelbase (mm)	2 855	2 855	2 855	2 855
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Front Overhang (mm)	895	895	895	895
Rear Overhang (mm)	1 100	1 100	1 100	1 100
Ground Clearance (mm)	235	235	235	235
Approach Angle (°)	30.0	30.0	30.0	30.0
Departure Angle (°)	26.0	26.0	26.0	26.0
Breakover Angle (°)	24.0	24.0	24.0	24.0
Wading Depth (mm)	800	800	800	800

MASS / CAPACITY				
Gross Axle Mass – Front (GA1) (kg)	1 450	1 450	1 450	1 450
Gross Axle Mass – Rear (GA2) (kg)	1 650	1 650	1 650	1 650
Gross Vehicle Mass (GVM) (kg)	2 700	2 800	2 700	2 800
Gross Combined Mass (GCM) (kg)	5 900	5 900	5 900	5 900
Tare Mass (kg)	1 955	2 050	1 995	2 125
Payload (kg)	686	691	657	627
Towing Capacity (kg): Unbraked Trailer <sup>2</sup>	750	750	750	750
Towing Capacity / Rating (kg): Braked Trailer²	3 500	3 500	3 500	3 500
Fuel Tank Capacity (Litres)	80	80	80	80

SAFETY FEATURES				
Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard	Standard
Brake Override Accelerator (BOA)	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard	Standard
Trailer Sway Control	Standard	Standard	Standard	Standard
Cruise Control	Standard	Standard	Standard	Standard / Adaptive
Multi-Collision Braking System	-	-	-	Standard
Height Adjustable 3-Point Seatbelts	Standard	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard	Standard
Occupant Detection Sensor	Passengers	Passengers	Passengers	Passengers
Driver & Front Passenger Airbags	Standard	Standard	Standard	Standard
Front-Seat Side Airbags	Standard	Standard	Standard	Standard
Curtain Airbags	Standard	Standard	Standard	Standard
Knee Airbag Driver	Standard	Standard	Standard	Standard
Far-Side Airbag	-	-	-	Standard
Side-Impact Bars (Front & Rear Doors)	Standard	Standard	Standard	Standard
Improved Side-Pole Impact	-	-	-	Standard
Collapsible Steering Column	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	Standard	Standard	Standard	Standard
ISOFIX Child Seat Attachment	Standard	Standard	Standard	Standard
Rear-View Camera	Standard	Standard	Standard	Standard
Front Camera	-	-	_	Standard
Parking Distance Sensors	Rear	Rear	Front & Rear	Front & Rear
Emergency Stop Signal	Standard	Standard	Standard	Standard
Blind-Spot Monitor	-	-	Standard	Standard
Rear Cross-Traffic Alert	-	-	Standard	Standard
Rear Radar	-	-	Standard	Standard

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
SAFETY FEATURES				
Autonomous Emergency Brake	-	-	_	Standard
Forward-Collision Warning	-	-	-	Standard
Pedal Misapplication Mitigation	-	-	-	Standard
Manual Speed Limiter	-	-	_	Standard
Lane-Departure Warning	-	-	-	Standard
Lane-Keep Assist	-	-	-	Standard
Lane-Departure Prevention	-	-	_	Standard
Driver Monitoring	-	-	_	Standard

SECURITY FEATURES				
Remote-Controlled Central Locking	Standard	Standard	-	-
Passive Entry Start System (PESS)	-	-	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard	Standard
Walk-Away Automatic Door Lock	-	_	Standard	Standard

INTERIOR LIGHTING				
Front Reading Lamps	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard
Ambient Lighting in Door Trim Panel	-	-	-	Standard
Luggage Lamp	Standard	Standard	Standard	Standard

EXTERIOR LIGHTING				
Front Fog Lights	LED	LED	LED	LED
Daytime Running Lights (DRL)	LED	LED	LED	LED
Headlights	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard	Standard
Headlamp Levelling Automatic	Standard	Standard	Standard	Standard
Automatic ON/OFF Headlamp	Standard	Standard	Standard	-
Automatic High Beam	-	-	-	Standard
LED Combination Rear Taillights	Standard	Standard	Standard	Standard
High-Mounted Centre Stoplight	LED	LED	LED	LED
Rear Fog Lamps	LED	LED	LED	LED
Follow-Me-Home Headlamps	Standard	Standard	Standard	Standard

EXTERIOR FEATURES				
Front Wiper	Automatic, Rain Sensing	Automatic, Rain Sensing	Automatic, Rain Sensing	Automatic, Rain Sensing
Radiator Grille – Colour	Chrome	Chrome	Chrome	Chrome
Front Bumper – Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper – Colour	Body Colour / Tungsten Silver			
Exterior Door Handle – Colour	Body Colour	Body Colour	Body Colour	Body Colour
Exterior Mirrors: Body Colour, Power Adjustable, Manual Folding with Side Indicator	Standard	Standard	Standard, Heated	Standard, Heated
B-Pillar Blackout	Standard	Standard	Standard	Standard
Side-Steps	Tungsten Silver	Tungsten Silver	Tungsten Silver	Tungsten Silver
Mudflaps	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Roof Rails	Standard	Standard	Standard	Standard
Rear Window Wiper	Standard	Standard	Standard	Standard
Rear Spoiler	Standard	Standard	Standard	Standard
Lift Gate	Manual	Manual	Power	Power

<sup>&</sup>lt;sup>2</sup> Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle & trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded. (e.g.: if a 3.0 L Diesel is towing 3.500 kg its Maximum Vehicle Mass is 2.500 kg in order to be within GCM). Date of print November 2021.

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
INTERIOR FEATURES				
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Electric
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Leather Steering Wheel with Multi-Function Controls	Standard	Standard	Standard	Standard
Gearknob Trim	Urethane	Urethane	Leather	Leather
Seating Capacity	7	7	7	7
Front Seat Configuration	Bucket Seats (x2)	Bucket Seats (x2)	Reclining Bucket Seats (x2)	Reclining Bucket Seats (x2)
Second-Row Seat Configuration	60:40 Fold-Flat Bench	60:40 Fold-Flat Bench	60:40 Fold-Flat Bench	60:40 Fold-Flat Bench
Third-Row Seat Configuration	50:50 Fold-Flat Bench	50:50 Fold-Flat Bench	50:50 Fold-Flat Bench	50:50 Fold-Flat Bench
Seat Trim	Cloth	Cloth	Leather	Leather
Driver Seat Adjustment	6-Way Manual	6-Way Manual	8-Way Power	8-Way Power
Front Passenger Seat Adjustment	-	-	4-Way Power	4-Way Power
Seatbelt Reminder Driver & Passengers	Front / Rear	Front / Rear	Front / Rear	Front / Rear
Rear Seat Centre Armrest	Standard 2 Cup Holders	Standard 2 Cup Holders	Standard 2 Cup Holders	Standard 2 Cup Holders
Storage Pockets behind Front Seats	Standard	Standard	Standard	Standard
Heated Front Seats	-	-	-	Standard
Floor Trim	Carpet with Tibia Pad	Carpet with Tibia Pad	Carpet with Tibia Pad	Carpet with Tibia Pad
Driver Footrest	Standard	Standard	Standard	Standard
Air-Conditioner	Manual with Rear Cabin Cooling Vents	Manual with Rear Cabin Cooling Vents	Auto Climate Control, Rear Cabin Cooling Vents	Auto Climate Control, Rear Cabin Cooling Vents
Rear Heater Ducts	Standard	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Auto Dimming
Sunvisor Driver Seat	Ticket Holder	Ticket Holder	Vanity Mirror & Light	Vanity Mirror & Light
Sunvisor Passenger Seat	Vanity Mirror	Vanity Mirror	Vanity Mirror & Light	Vanity Mirror & Light
Overhead Console with Sunglasses Holder	Standard	Standard	Standard	Standard
Digital Clock	Standard	Standard	Standard	Standard
Multi-Information Display (MID)	Standard	Standard	Standard	Standard
Dashboard Illumination Control	Standard	Standard	Standard	Standard
Power Windows: Driver One Touch, Jam Protection and Timer	Standard	Standard	Standard	Standard
Auxiliary 12-V Power Socket	2	2	2	2
Power Socket, Auxilary 220V	-	-	-	Standard
USB Charge Ports (Front & Rear)	Standard	Standard	Standard	Standard
Lockable, Illuminated Glove Box	Standard	Standard	Standard	Standard
Door Trim with Storage Pockets & Integrated Cup Holders	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cup Holders	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard	Standard
Rear Privacy Windows	-	-	Standard	Standard
Fixed Rear Window, with Defogger	Standard	Standard	Standard	Standard
Ventilator Grille with Shutter (Fin Shut)	Standard	Standard	Standard	Standard

INFOTAINMENT				
Audio System: Touchscreen, RDS, MP3, Wi-Fi, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free, Rear-View Camera, Apple CarPlay® & Android Auto	7"	7"	9″	9″
Audio Input Terminal: USB, Auxiliary	Standard	Standard	Standard	Standard
Number of Speakers	6	6	8	8
Steering Wheel Audio Controls	Standard	Standard	Standard	Standard

WARRANTY / SERVICE INTERVALS					
Warranty & Roadside Assistance	5 Years / 120 000 km				
Anti-Corrosion Warranty	5 Years / Unlimited km				
Service Plan	5 Years / 90 000 km				
Service Intervals	12 Months / 15 000 km				





IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.



## mu-X LS



Available in the following colours:




Cloth upholstery





17" Alloy wheels











The LS trim level comes standard with generous levels of spec. Herewith a summary of the noteworthy specifications:

#### INTERIOR

Urethane Gear Knob Trim, Cloth Seat Trim, Manual 6-way Adjustable Driver Seat, Rear Seat Centre Armrest with 2 Cupholders, Lockable Glovebox with Illumination, Front and Rear USB Charge Ports, Power Windows with Driver One Touch.

Manual Lift Gate, Auto Rain Sensing Front Wiper, 17" Alloy Wheels, Side Steps and Roof Rails.

#### TECH

7" Touch Screen with RDS, MP3, Bluetooth®, Audio Streaming with Integrated Mobile Hands-free & Rear View Camera, 6 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi Information Display.

#### SAFETY

7 x Airbags, Rear View Camera, Trailer Sway Control, Hill Descent Control, Hill Start Assist, Electronic Stability Control, Cruise Control, Side Impact Bars (Front & Rear), Brake Override Accelerator, Brake Assist System, Electronic Brake Force Distribution, Anti-lock Brakes.

#### PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4X4 OR 4X2 Drive Configuration. 4X4 with Differential Lock and Low Range Transfer Case.





## mu-X LSE









18" Alloy wheels



The LSE trim level comes standard with LS features as well as the following additional specifications:

#### INTERIO

Leather Gear Knob Trim, 8-way Power Adjustable Driver Seat, 4-way Power Adjustable Front Passenger Seat, Auto Climate Control with Rear Cabin Cooling Vents.

#### EXTERIOR

Power Lift Gate, Auto Rain Sensing Front Wiper, 18" Alloy Wheels.

#### TECH

9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, 6 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi Information Display.

#### SAFETY

Front & Rear Parking Distance Sensors, Emergency
Stop Signal, 7 Airbags, Side Impact Bars (front and rear),
Rear View Camera, Trailer Sway Control, Hill Descent
Control, Hill Start Assist, Electronic Stability Control, Brake
Override Accelerator, Brake Assist System, Electronic
Brake Force Distribution, Anti-lock Brakes.

#### THE IDAS SAFETY PACKAGE

Blind Spot Monitor, Rear Cross Traffic Alert, Rear Radar.

#### PERFORMANCE


Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4X2 Drive Configuration.

## mu-X ONYX



Available in the following colours:







20" Alloy wheels



#### SAFETY Front &

Front & Rear Parking Distance Sensors, 8 Airbags, Side Impact Bars (Front and Rear), Emergency Stop Signal, Adaptive Cruise Control, Front & Rear Cameras, Trailer Sway Control, Hill Descent Control, Hill Start Assist, Electronic Stability Control, Brake Override Accelerator, Brake Assist System, Electronic Brake Force Distribution, Anti-lock Brakes, Multi-collision Brake, enhanced Side Pole Impact Protection.

#### THE IDAS SAFETY PACKAGE

Blind Spot Monitor, Rear Cross Traffic Alert, Rear Radar, Autonomous Emergency Brake, Forward Collision Warning, Pedal Misapplication Mitigation, Manual Speed Limiter, Lane Departure Warning, Lane Keep Assist, Lane Departure Prevention, Driver Monitoring.

#### PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

The Onyx trim level comes standard with features from the LS and LSE trim levels, as well as the following additional specifications:

#### INTERIOR

Leather Gear Knob Trim, 8-way Power Adjustable Driver Seat, 4-way Power Adjustable Front Passenger Seat, Auto Dimming Rear-View Mirror, Rear Privacy Windows, Power Socket with Auxiliary 220V.

#### EXTERIOR

Power Lift Gate, Auto Rain Sensing Front Wiper, 20" Alloy Wheels.

#### TECH

9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-free & Rear View Camera, 8 Speakers, Apply CarPlay® & Android Auto, Wi-Fi. Includes a Multi Information Display.

# COMPLETE CARE

- 24/7 CALL CENTRE:
   Toll free within South Africa and also available in neighbouring countries.
- TOWING SERVICE OR TECHNICAL ASSISTANCE:
   In the event of a vehicle breakdown, Isuzu will arrange for towing to the closest dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an Isuzu dealership or Roadside Assistance technician.
- ACCOMMODATION OR RENTAL CAR: Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided.

A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account.

- SAFETY AT ROADSIDE: Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection.
- OVERNIGHT STORAGE:
   Will be provided for your vehicle if required.
- REPATRIATION OF YOUR VEHICLE:
   Upon completion of repairs, to your home or closest dealer, if further than 100 km from home.
- FLAT TYRE ASSISTANCE: In the event of a flat tyre, we offer assistance with the tyre change.
- KEYS LOCKED IN: Assistance provided here too.
- FUEL ASSISTANCE: You pay only for the fuel supplied.
- COMMUNICATION OF URGENT MESSAGES: Including assistance with directions, to family members.
- INFORMATION SERVICES: Explanation of vehicle warning systems, as well as location of closest dealer, filling station or where to get a new tyre.

## PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of 12 months / 15 000 km





Disclaimer: The information contained in this document was accurate at the time of going to print November 2021. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU retailer for exact information.